



RUGINI OLIVE MEDIUM SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006
GENERIC EU SDS - NO COUNTRY SPECIFIC OEL DATA
Date of Issue: 28-05-2026
Revision Number: A/0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Identifier : Rugini Olive Medium
Product Number : R502
CAS Number : Not available
REACH Registration Number : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration, or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses : For research use only - restricted to professional users.
Uses Advised Against : Not for human or animal use

1.3 Details of the supplier of the safety data sheet

Company : Plant Biotechnologies
Seinhuiswachter 17-19
3034 KH Rotterdam The Netherlands
Phone Number : +31 10323 2002
E-mail Address : info.eu@toku-e.com
Safety Data Sheet Issued by : Plant Biotechnologies

1.4 Emergency telephone number

Emergency Phone Number (Internat.) : +1 (352) 353-3500 (INFOTRAC, 24-Hour Number)
Emergency Phone Number (US Only) : 1 (800) 535-5053 (INFOTRAC, 24-Hour Number)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Serious eye damage/eye irritation (Category 2), H319
Reproductive toxicity (Category 1B), H360
Hazardous to the aquatic environment – Chronic Hazard (Category 3), H412

For the full text of the H-Statements mentioned in this section, see Section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard Pictogram(s):



Signal Word: Danger

Hazard Statement(s)

H319 Causes serious eye irritation
H360 May damage fertility or the unborn child
H412 Harmful to aquatic life with long lasting effects

Precautionary Statement(s)

P264 Wash hands/skin thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+ P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 IF eye irritation persists: Get medical advice/attention.
P201 Obtain special instructions before use
P202 Do not handle until all safety precautions have been read and understood
P308+P313 IF exposed or concerned: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container in accordance with governmental
P273 Avoid release to the environment.

Supplemental Hazard Information

No data available

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Component	CAS no	
Cobalt dichloride	7646-79-9	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Boric acid	10043-35-3	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The substance/mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Synonym(s) : Not available

Formula : Not available

Molecular weight : Not available

Hazardous ingredients according to Regulation (EC) No. 1272/2008

Component	Classification	Concentration
Potassium nitrate		
CAS Number [7757-79-1] EC Number [231-818-8] REACH Number [01-2119488224-35]	Ox. Sol. 3, H272	40,10 %
Magnesium sulphate		
CAS Number [7487-88-9] EC Number [231-298-2] REACH Number [01-2119486789-11]	/	18,21 %
Calcium chloride		
CAS Number [10043-52-4] EC Number [233-140-8] REACH Number [01-2119494219-28]	Eye Irrit. 2, H319	15,26 %
Ammonium nitrate		
CAS Number [6484-52-2] EC Number [229-347-8] REACH Number [01-2119490981-27]	Ox. Sol. 3, H272 Eye Irrit. 2, H319	10,24 %
Potassium dihydrogenorthophosphate		
CAS Number [7778-77-0] EC Number [231-913-4] REACH Number [01-2119490224-41]	/	8,45 %
Potassium chloride		
CAS Number [7447-40-7] EC Number [231-211-8] REACH Number [01-2119539416-36]		3,02 %

Myo-Inositol		
CAS Number [87-89-8]		
EC Number [201-781-2]	/	2,48 %
REACH Number [01-2120766927-35]		
Sodium ferredate		
CAS Number [15708-41-5]		
EC Number [239-802-2]	/	0,91 %
REACH Number [01-2119496228-27]		
Zinc sulphate heptahydrate		
CAS Number [7446-20-0]	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0,42 %
EC Number [616-097-3]		
REACH Number [01-2119474684-27]		
Manganese sulphate monohydrate		
CAS Number [10034-96-5]	STOT RE 2, H373 Aquatic Chronic 2, H411	0,36 %
EC Number [600-072-9]		
REACH Number [01-2119456624-35]		
Boric acid (substance listed on REACH Candidate List)		
CAS Number [10043-35-3]		
EC Number [233-139-2]	Repr. 1B, H360FD	0,31 %
REACH Number [01-2119486683-25]		
Nicotinic Acid		
CAS Number [59-67-6]		
EC Number [200-441-0]	Eye Irrit. 2, H319	0,12 %
REACH Number [01-2119968267-24]		
Glycine		
CAS Number [56-40-6]		
EC Number [200-272-2]	/	0,050 %
REACH Number [01-2119451452-45]		

Potassium iodide		
CAS Number [7681-11-0]		
EC Number [231-659-4]	STOT RE 1, H372	0,02 %
REACH Number [01-2119906339-35]		
Calcium folinate		
CAS Number [1492-18-8]	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	0,017 %
EC Number [216-082-8]	Resp. Sens. 1, H334 STOT SE 3, H335	
Pyridoxine hydrochloride		
CAS Number [58-56-0]		
EC Number [200-386-2]	Eye Dam. 1, H318	0,012 %
REACH Number [01-2120113157-67]		
Thiamine hydrochloride		
CAS Number [67-03-8]		
EC Number [200-641-8]	Eye Irrit. 2, H319	0,012 %
REACH Number [01-2120773699-31]		
Disodium molybdate		
CAS Number [7631-95-0]		
EC Number [231-551-7]	/	0,0053 %
REACH Number [01-2119489495-21]		
Copper sulphate		
CAS Number [7758-98-7]	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319	0,004 %
EC Number [231-847-6]	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
REACH Number [01-2119520566-40]		
Biotin		
CAS Number [58-85-5]		
EC Number [200-399-3]	/	0,0012 %
REACH Number [01-2120966349-39]		

Cobalt dichloride (substance listed on REACH Candidate List)		
CAS Number [7646-79-9]	Carc. 1B, H350i Muta. 2, H341 Repr. 1B, H360F	0,0003 %
EC Number [231-589-4]	Acute Tox. 4 (Oral), H302 Resp. Sens. 1, H334 Skin Sens. 1, H317	
REACH Number [01-2119517584-37]	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	

For the full text of the H-Statements mentioned in this section, see Section 16.

SECTION 4: FIRST-AID MEASURES

4.1 Description of first-aid measures

General information

Consult a doctor/physician if exposed - additional medical care may be required. Show this safety data sheet to the medical provider.

If inhaled

If inhaled, move to fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash skin thoroughly with soap and water. Remove any contaminated clothing. Consult a physician.

In case of eye contact

Flush eye with water. After initial flush, remove any contact lenses and continue flushing for at least 15 minutes.

If swallowed

Rinse mouth with water. Immediately call a doctor, physician, or poison control center. Never give anything by mouth to an unconscious person.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent the spread of contamination.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

No data available

5.2 Special hazards arising from the substance or mixture**Hazardous Combustion Products**

Carbon and nitrogen oxides, sulfur oxides, phosphorus oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed in Section 7 and 8. Use personal protective equipment. Avoid breathing dust, vapors, mist or gas. Avoid direct contact with spilled substances. Ensure adequate ventilation. Avoid dust formation.

For personal protection see Section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Refer to section 8 for exposure control and personal protection. Refer to section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Avoid contact with skin and eyes. For precautionary statements see section 2.2

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Protect from humidity. Recommended storage temperature: Room temperature Hygroscopic.

Incompatibilities:

Strong oxidizing agents

7.3 Specific end use(s)

Refer to section 1.2

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters:

No OEL data available

8.2 Exposure controls

Appropriate engineering controls:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling this product.

Personal Protective Equipment (PPE):

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate, use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal techniques to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the selected EN 374 derived from it.

Eye/Face protection

Wear eye protection. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Body protection

Wear protective clothing. The type of protective equipment must be selected according to the concentration of the dangerous substance at the specific work place.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	:	White to slightly yellow powder
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting Point/Freezing Point	:	No data available
Initial Boiling Point and Range	:	No data available
Flash Point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available

Upper/Lower Flammability or	
Explosive Limits	: No data available
Vapor Pressure	: No data available
Vapor Density	: No data available
Relative Density	: No data available
Solubility(ies)	: Soluble in water
Partition Coefficient: n-octanol/water	: No data available
Auto-Ignition Temperature	: No data available
Decomposition Temperature	: No data available
Viscosity	: No data available
Explosive Properties	: No data available
Oxidizing Properties	: No data available

9.2 Other information

No additional information relevant to safe use of the substance.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Exposure to moisture

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

No data available

See Section 5 for hazardous combustion products.

SECTION 11. TOXICOLOGICAL INFORMATION

The toxicological properties of this mixture have not been fully investigated. The information provided is based on data available for the active compounds.

11.1 Information on toxicological effects

Acute Toxicity

Potassium nitrate	:	Oral LD ₅₀	:	Rat	:	> 2000 mg/kg
		Dermal LD ₅₀				> 5000 mg/kg
		Inhalation LC ₅₀				> 0,527 mg/l/4h
Magnesium sulphate	:	Oral LD ₅₀	:	Rat	:	> 2000 mg/kg
		Dermal LD ₅₀				> 2000 mg/kg
Calcium chloride	:	Oral LD ₅₀	:	Rat	:	2120 mg/kg
		Dermal LD ₅₀				> 5000 mg/kg

Ammonium nitrate	:	Oral LD ₅₀	:	Rat	:	> 2950 mg/kg
		Dermal LD ₅₀	:	Rat	:	> 5000 mg/kg
		Inhalation LC ₅₀	:	Rat	:	> 88,8 mg/l
Potassium dihydrogenphosphate	:	Oral LD ₅₀	:	Rat	:	> 2000 mg/kg
		Dermal LD ₅₀	:	Rat	:	> 2000 mg/kg
		Inhalation LC ₅₀	:	Rat	:	> 0,83 mg/l
Potassium chloride	:	Oral LD ₅₀	:	Rat	:	2600 mg/kg
Myo-inositol	:	Oral LD ₅₀	:	Rat	:	19483,68 mg/kg
		Oral LD ₅₀	:	Mouse	:	> 10000 mg/kg
Sodium ferredetate	:	Oral LD ₅₀	:	Rat	:	> 2000 mg/kg
		Dermal LD ₅₀	:	Rat	:	> 2000 mg/kg
		Inhalation LC ₅₀	:	Rat	:	> 2,75 mg/l/4h
Zinc sulphate heptahydrate	:	Oral LD ₅₀	:	Rat	:	1260 mg/kg
Manganese sulphate monohydrate	:	Oral LD ₅₀	:	Rat	:	2150 mg/kg
		Oral LD ₅₀	:	Mouse	:	2330 mg/kg
		Inhalation LC ₅₀	:	Rat	:	> 4,45 mg/l
Boric acid	:	Oral LD ₅₀	:	Rat	:	> 2600 mg/kg
		Oral LD ₅₀	:	Mouse	:	3450 mg/kg
		Dermal LD ₅₀	:	Rabbit	:	> 2000 mg/kg
		Inhalation LC ₅₀	:	Rat	:	2,12 mg/l
Nicotinic acid	:	Oral LD50	:	Rat	:	7000 mg/kg
		Dermal LD50	:	Rat	:	> 2000 mg/kg
		Inhalation LC50	:	Rat	:	> 3,8 mg/l
Glycine	:	Oral LD ₅₀	:	Rat	:	7930 mg/kg
Potassium iodide	:	Dermal LD ₅₀	:	Rat	:	> 2000 mg/kg
Calcium folinate	:	Oral LD ₅₀	:	Rat	:	> 8000 mg/kg
Pyridoxine hydrochloride	:	Oral LD ₅₀	:	Rat	:	> 6600 mg/kg
		Oral LD ₅₀	:	Mouse	:	> 6000 mg/kg
Thiamine hydrochloride	:	Oral LD ₅₀	:	Rat	:	12340 mg/kg
		Oral LD ₅₀	:	Mouse	:	13347 mg/kg
Disodium molybdate	:	Oral LD50	:	Rat	:	2689 mg/kg
		Dermal LD50	:	Rat	:	> 2000 mg/kg
		Inhalation LC50	:	Rat	:	> 5,05 mg/l
Copper sulphate	:	Oral LD ₅₀	:	Rat	:	481 mg/kg
		Dermal LD ₅₀	:	Rat	:	> 2000 mg/kg
Biotin	:	Oral LD ₅₀	:	Rat	:	> 2000 mg/kg
Cobalt dichloride	:	Dermal LD ₅₀	:	Rat	:	> 2000 mg/kg

Skin Corrosion/Irritation

Not classified

Serious Eye Damage/ Eye Irritation

Causes serious eye irritation

Respiratory or Skin Sensitization

Not classified

Germ Cell Mutagenicity

Not classified

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by the International Agency for Research on Cancer Monograph.

Reproductive Toxicity

Not classified

Specific Target Organ Toxicity: Single Exposure

Not classified

Specific Target Organ Toxicity: Repeated Exposure

Not classified

Aspiration Hazard

Not classified

Additional Information

RTECS: Not available

Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Potassium nitrate	:	LC50	:	Fish	:	> 98,9 mg/l - Oncorhynchus mykiss
		EC50	:	Crustacea	:	490 mg/l 48 h - Daphnia magna
Magnesium sulphate	:	LC 50	:	Fish	:	680 mg/l - Pimephales promelas
Calcium chloride	:	LC 50	:	Fish	:	4630 mg/l - Pimephales promelas
		LOEC Chronic	:		:	240 mg/l - Daphnia magna Duration: 21 d
		NOEC Chronic	:		:	481 mg/l - Daphnia magna Duration: 21 d
		NOEC : Fish Chronic	:		:	230 mg/l - Oncorhynchus mykiss Duration: 25 d
Ammonium nitrate	:	LC50	:	Fish	:	447 mg/l - Cyprinus carpio
		EC50	:	Crustacea	:	490 mg/l 48h - Daphnia magna
		ErC50	:	Algae	:	> 1700 mg/l 10 days
		NOEC Chronic	:		:	555 mg/l - Bullia digitalis Duration: 7 d

Potassium dihydrogenphosphate	:	LC50	:	Fish	:	> 100 mg/l - Oncorhynchus mykiss
		EC50	:	Crustacea	:	> 100 mg/l 48h - Daphnia magna
		EC50	:	Algae	:	> 100 mg/l 72 h - Desmodesmus subspicatus
Potassium chloride	:	LC50	:	Fish	:	880 mg/l 96 h
		EC50	:	Crustacea	:	670 mg/l 48 h
		ErC50	:	Algae	:	> 100 mg/l 72 h
Myo-inositol	:	LC50	:	Fish	:	5424,33 mg/l - Pimephales promelas
		EC50	:	Algae	:	> 36600 mg/l 72 h
Sodium ferredetate	:	LC50	:	Fish	:	> 100 mg/l Oncorhynchus mykiss
		EC50	:	Crustacea	:	100,9 mg/l - Daphnia Magna
		EC50	:	Algae	:	69,9 mg/l 72 h Pseudokirchneriella subcapitata
		LOEC Chronic	:		:	50 mg/l - Daphnia magna Duration: 21 d
		NOEC Chronic	:		:	25 mg/l - Daphnia magna Duration: 21 d
		NOEC Chronic	:	Fish	:	≥ 25,7 mg/l - Danio rerio Duration: 35 d
Zinc sulphate heptahydrate	:	EC50	:	Crustacea	:	12 mg/l
		EC50	:	Algae	:	0,05 – 65 mg/l 72 h Source: GESTIS
Manganese sulphate monohydrate	:	LC50	:	Fish	:	30,6 mg/l - Pimephales promelas
		EC50	:	Crustacea	:	8,3 mg/l
		EC50	:	Algae	:	61 mg/l 72 h - Desmodesmus subspicatus
Boric acid	:	LC50	:	Fish	:	79,7 mg/l - Pimephales promelas
		LC50	:	Fish	:	74 mg/l - Limanda limanda
		EC50	:	Crustacea	:	133 mg/l
		EC50	:	Algae	:	66 mg/l 72 h - Phaeodactylum tricornutum
		EC50	:	Algae	:	54 mg/l 72 h - Phaeodactylum tricornutum
		NOEC Chronic	:	Fish	:	6,4 mg/l - Danio rerio - Duration: 34 d
Nicotinic acid	:	LC50	:	Fish	:	520 mg/l - Salmo trutta
		EC50	:	Crustacea	:	77 mg/l - Daphnia magna
		EC50	:	Algae	:	89933 mg/l 72 h - Desmodesmus subspicatus

		EC50	:	Algae	:	105666 mg/l 72 h - Desmodesmus subspicatus
		EC50	:	Algae	:	67956 mg/l 96 h - Desmodesmus subspicatus
		EC50	:	Algae	:	114786 mg/l 96 h - Desmodesmus subspicatus
Glycine	:	LC50	:	Fish	:	> 5 mg/l
		EC50	:	Crustacea	:	> 220 mg/l 72 h - Daphnia magna
		EC50	:	Algae	:	> 1000 mg/l - Raphidocelis subcapitata
Potassium iodide	:	LC50	:	Fish	:	> 100 mg/l - Danio rerio
		EC50	:	Crustacea	:	> 100 mg/l - Daphnia magna
		EC50	:	Algae	:	2900 mg/l 72 h
		NOEC Chronic	:		:	29,87 mg/l - Daphnia magna Duration: 21 d
		NOEC Chronic	:	Fish	:	66,356 mg/l Duration: 28 d
Pyridoxine hydrochloride	:	LC50	:	Fish	:	> 100 mg/l Oncorhynchus mykiss
		EC50	:	Crustacea	:	> 100 mg/l 48h - Daphnia magna
		EC50	:	Algae	:	72 mg/l 72 h - Desmodesmus subspicatus
Thiamine hydrochloride	:	LC50	:	Fish	:	> 100 mg/l Oncorhynchus mykiss
		EC50	:	Crustacea	:	> 100 mg/l - Daphnia magna
		EC50	:	Algae	:	> 100 mg/l 72h - Desmodesmus subspicatus
Cobalt dichloride	:	EC50	:	Crustacea	:	> 5,89 mg/l - Daphnia magna

12.2 Persistence and degradability

Ammonium nitrate	:	Persistence and degradability	:	Not established
Glycine	:	Persistence and degradability	:	Product is biodegradable
		BOD (% of ThOD)	:	57 % ThOD (5 days)
Thiamine hydrochloride	:	Persistence and degradability	:	Product is biodegradable
		Biodegradation	:	74 % (7 d)
Pyridoxine hydrochloride	:	Biodegradation	:	94 % (28 d, OECD 301E)
Nicotinic Acid	:	Persistence and degradability	:	Product is biodegradable
		BOD (% of ThOD)	:	100 % ThOD
		Biodegradation	:	100 %

12.3 Bioaccumulative potential

Boric acid

Partition coefficient n-octanol/water (Log Pow) : 0,18

Calcium chloride

Partition coefficient n-octanol/water (Log Pow) : 0,0500006

Glycine

Partition coefficient n-octanol/water (Log Pow) : -2,3 at 20 °C

Bioaccumulative potential : No bioaccumulation

Thiamine hydrochloride

Partition coefficient n-octanol/water (Log Pow) : < -3,04 at 22,5 °C

Pyridoxine hydrochloride

Partition coefficient n-octanol/water (Log Pow) : -0,7 at 20 °C, pH 7

Nicotinic Acid

Partition coefficient n-octanol/water (Log Pow) : -2,43 at 25 °C (OECD Test 107)

Bioaccumulative potential : No bioaccumulation

Ammonium nitrate

Bioaccumulative potential : not established

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Component	CAS no	
Cobalt dichloride	7646-79-9	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Boric acid	10043-35-3	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6 Other adverse effects

No data available

In the absence of complete ecological information, treat product as environmentally
Use proper storage, handling, and disposal to prevent unintentional release into the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable products to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Avoid disposal of material in drains or sewers.

Waste material must be disposed of in accordance with the Directive on Waste 2008/98/EC as well as other national and local regulations.

Contaminated Packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

		ADR/RID	IMDG	IATA
14.1	UN Number	-	-	-
14.2	UN Proper Shipping Name	Not Dangerous Goods	Not Dangerous Goods	Not Dangerous Goods
14.3	Transport Hazard Class(es)	-	-	-
14.4	Packing Group	-	-	-
14.5	Environmental Hazards	No	Marine Pollutant: No	No

14.6 Special precautions for user**Further Information**

No data available

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and Annex II No. 2020/878

Authorizations and/or restrictions on use

Restricted to professional users.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360F	May damage fertility

H360FD	May damage fertility. May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Abbreviations and acronyms

ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Road (ADR) and Rail (RID)

CAS No: Chemical Abstracts Service number

EC: European Commission

EC No: European Commission number

EHS: Environmentally Hazardous Substance

EU: European Union

H-Statement: Hazard Statement

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association

IBC: International Bulk Chemical

IMDG: International Maritime Dangerous Goods Code

LC50: Lethal concentration, 50%

LD50: Median Lethal dose

MARPOL 73/78: International Convention for the Prevention of Pollution from Ships

NIOSH: National Institute for Occupation Safety and Health

OEL: Occupational Exposure Limit

PBT: Persistent, Bioaccumulative and Toxic

REACH: Registration, Evaluation, Authorisation and restrictions of Chemicals

RTECS: Registry of Toxic Effects of Chemical Substances

SDS: Safety Data Sheet

UN: United Nations

vPvB: Very Persistent and Very Bioaccumulative

Further information

Revision Date: 28-05-2026

The above information is based upon the present state of our knowledge and is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information is believed to be correct but does not purport to be all inclusive. It does not represent any guarantees of the properties of the product. TOKU-E Company shall not be held liable for damage or injury resulting from contact, handling, or storage of the above product.